

Expansion Module for VIP-2020PT/VIP-5050PT



Flexibly Extend VoIP System by up to 130 Programmable Lines

PLANET VIP-EXT-26 voice line expansion module is designed to work with the enterprise IP phones, the VIP-2020PT and VIP-5060PT in enhancing the flexibility of VoIP system. The VIP-EXT-26, featuring 26 fully programmable buttons with dual-color LEDs, is controlled by the IP Phone via RJ-11 cable. These function keys support Auto Redial On/Off, Call Back/Forward, Do Not Disturb (DND), Flash, Headset, History, Hold, Join, Lock, Memo, Message Waiting Indicator (MWI), Phonebook, Pickup, Prefix and Redial. The VIP-EXT-26 creates up to 130 programmable extensions when 5 expansion modules are daisy chained with the enterprise IP phone.

Integrated with PLANET advanced enterprise IP phone, the VIP-EXT-26 is perfect for receptionists, call center agents, administrative assistants, executives and power users who need to monitor and manage a large volume of calls on a regular basis.


The VIP-EXT-26 supports Busy Lamp Field (BLF) function that, via the lights on the phone, enables users to easily identify the status of other phones which are connected to the same IP PBX, such as busy, idle, ringing, etc. The connected IP PBX must also support BLF feature. The BLF function is helpful for a receptionist on the front desk to route all incoming calls smoothly.

Highlights


- 26 programmable buttons per module
- Supports Busy Lamp Field (BLF)
- Dual color LED for status indication
- Speed dial for each line
- 5 daisy-chain modules for 130 programmable buttons
- Conference/call transfer/forward/pickup
- Compatible with PLANET VIP-2020PT / VIP-5060PT business pro IP phones

BLF (Busy Lamp Field)

LED Indication



Applications



Specifications

| | |
|--------------------------|--|
| Model | VIP-EXT-26 |
| Hardware | |
| Programmable Button | 26 multi-functional keys with dual-color LED |
| Physical Interfaces | 2 x RJ-11 ports for data in and out (EXT) |
| Product Features | |
| Main Features | 26 programmable buttons per module Busy Lamp Field (BLF) Dual color LED for status indication Speed dial for each line 5 daisy-chain modules for 130 programmable buttons Supports Config the URL of remote phonebook Speed Power Saving Supports key event - Auto Redial On/Off, Call Back/Forward, Do Not Disturb (DND), Flash, Headset, History, Hold, Join, Lock, Memo, Message Waiting Indicator (MWI), Phonebook, Pickup, Prefix and Redial |
| Environment | |
| Power Requirements | 5V, 1A |
| Temperature and Humidity | Operating temperature: 0 ~ 40 degrees C Storage temperature: -10 ~ 70 degrees C Humidity: 10 ~ 95% non-condensing |
| Weight | 250g |
| Dimensions (W x D x H) | 275 x 100 x 60 mm |
| Emission | CE, FCC |
| Connectors | RJ-11 connector |

Ordering Information

| | |
|------------|--|
| VIP-EXT-26 | Expansion Module for VIP-2020PT/VIP-5050PT |
|------------|--|

Related Products

| | |
|------------|---------------------------------------|
| VIP-2020PT | Enterprise HD PoE IP Phone (2-Line) |
| VIP-5060PT | Professional HD PoE IP Phone (6-Line) |